Total No. of Questions : 6

BUT THE WARD PORTY THORE COMMENT !

Total No. of Printed Pages

## EH-183

## B.E. II Semester (CGPA) Civil Engg. Exam. 2014 604

## BASIC ELECTRICAL AND ELECTRONICS ENGG.

Paper : CE - 203

Time Allowed: Three Hours

Maximum Marks: 60

**Note:** Attempt all questions. Internal choices given in respective questions.

Q.1. Choose any one

http://www.onlinebu.com

10

- The maximum and minimum values of power factor in an ac circuit can be
  - a) 1 and 0

- b) +1 and -1
- c) +1 and -5
- d) +10 and -10
- ii) A wattmeter measures
  - a) average active power
- b) reactive power
- c) apparent power
- d) instantaneous power
- iii) A circuit has a resistance, an inductor and a diode, the
  - a) □ bilateral
- ts) passive

s) linear

James 5

d) non - linear

EH-183

PTO

## http://www.onlinebu.com

(2)

- The property of a magnetic circuit which opposes the formation of flux is known as-
  - a) reactance
- b) mmf
- c) permeance
- d) reluctance
- Two coils have self inductances of 10H and 2H, the mutual inductance being zero, If the two coils are connected in series, the total inductance will be
  - a) 6H

b) 8H

c) 12H

- d) 24H
- vi) The transformer ratings are usually expressed in terms of
  - a) volts

o) amperes

c) kW

- d) KVA .
- vii) The path of magnetic flux in transformer should have
  - a) high resistance
- b) high reluctance
- c) low resistance
- d) low reluctance
- viii) In a dc generator, if p be the number of poles and N be the rpm of rotor, then the frequency of magnetic reversals will be
  - a)  $\frac{NI}{2}$

 $\frac{NP}{60}$ 

c) NP 120

- d)  $\frac{NP}{3000}$
- ix) By looking at which part of the motor it can be easily confirmed that a particular motor is dc motor?
  - a) frame

- b) shaft
- commutator
- d) stator

EH-183

Contd...


(3)

- In a pure LC parallel circuit under resonance condition current drawn from the supply mains is


  - a) wery large netted by by

http://www.onlinebu.com

- zero
- Explain maximum power transfer theorem. Find the value of R, and P, under maximum power transfer condition in Fig.1.




Find the current and power supplied by battery for the circuit shown in Fig.2. Using loop analysis.



http://www.onlinebu.com

Determine the current through the branch AB in the circuit shown below in Fig.3. Using nodal analysis.



- State and explain Millman's theorem.
- Q.3. a) Two 200 turns, air cored solenoids, 25cm long have a cross - sectional area of 3cm2 each. The mutual inductance between them is 0.5 MM. Find the self inductance of the coils and the coefficient of coupling.
  - Explain leakage flux and fringing in magnetic circuits. 5
  - Explain relative permeability. Calculate the mmf required to produce a flux of 0.015 Wb across air gap 2.5mm long having an effective area of 200cm<sup>2</sup>.
  - Derive an expression for magnetic force of a long straight conductor.
- Derive the relation between line and phase values of voltage and current in the star connection of  $3\,arphi$  AC

EH-183

Contd....

5

http://www.onlinebu.com

(5)

- b) A series RLC circuit has  $R = 1_{\Omega}$ , L = 0.03H, C = 3MF and v = 10 v. Find
  - i) resonant frequency
- ii) Q Factor
- iii) Band width
- resonance current

OR

- a) Two impedances  $z_1 = (150-j5y)\Omega$  and  $z_2 = (100-j110)\Omega$  are connected in parallel at 200V, 50Hz supply. Find
  - i) i<sub>1</sub>, i<sub>2</sub>

http://www.onlinebu.com

- ii) total current
- iii) total power
- iv) pf. of circuit
  - 5
- Find average value, RMS value and form factor of half wave rectified alternating current
- Q.5. a) Explain principle of working of a transformer? 5
  - b) A 1-phase transformer has 80 turns in the primary and 400 turns in the secondary winding. The net cross sectional area of the core is 50cm². If the primary winding is connected to 240V, 50Hz supply. Determine
    - i) emf induced in secondary winding.
    - ii) maximum value of flux density in core.5

OR:

- a) Explain the procedure for conducting transformer tests with neat diagrams.
- b) Derive the condition for maximum efficiency in a transformer.
- Q.6. a) Write a short note on "Armature reaction".

EH-183

P.T.O.

5

http://www.onlinebu.com

http://www.onlinebu.com

(6)

b) A 4-pole, lap-wound, dc shunt generator has a useful flux/pole of 0.08 wb. The armature winding consists of 260 hours, each of resistance  $0.006\,\Omega$ . Determine the terminal voltage of the generator. When it is running at 1000 rpm and supplying a load current of 55A.

OF

- a) Explain the construction of DC machine with a neat diagram.
- b) Explain principle of operation of a DC motor. 5



EH-183